

**Minutes of Technical Evaluation Committee Meeting
Held 13-11-2025**

1. The Technical Evaluation Committee meeting was held on 13-11-2025 under the chairmanship of Prof. Dr. Muhammad Shahid, Prof of Peads Lahore General Hospital, Lahore, regarding technical evaluation of the offers for the framework contract for Purchase of General Store Items and Medical Waste Management items for this hospital.

2. Following committee members attended the meeting:

Prof. Dr. Akif Dilshad, Prof of Gastroenterology

Prof. Dr. Ahmad Khaqan, Prof of Ophthalmology

Prof. Dr. Nighat Haroon, Prof of Radiology

Dr. M. Shabbir Ahmad, Associate Prof Surgery

Dr. Yahya Sultan, AMS (Stores)

Dr. Zeeshan Hadder, AMS (Purchase)

Engr. Usama Zulifqar, Bio Medical Engineer/Technical Officer

3. The technical sheets were prepared by the DMS (Purchase) & Technical Officer, Health Department, Lahore and was placed before the committee.

4. The committee decided that the clauses of tender enquiry & PPRA rules 2014, will be followed strictly.

5. The following items were discussed:-

Sr #	Name of Item	Name of Firm	Remarks	Decision
1	Framework contract for Purchase of X-Ray Films for CT, MRI, CR, Angiography, X-Ray Machines	M/S Medical Equipment System	As per Bidding Documents & Fulfill Evaluation criteria.	Responsive
		M/S Fuji Films Pakistan	As per Bidding Documents & Fulfill Evaluation criteria.	Responsive
2	Framework contract for Purchase Medical Waste Management Items	M/S M. Amir & Co	As per Bidding Documents & Fulfill Evaluation criteria. Samples of all quoted items approved.	Responsive
		M/S Victoria Traders	<p>The Said firm did not fulfill the Technical Evaluation Criteria:-</p> <p>1- Company Profile, Not Attached. 2- Bank Statement/ Balance Sheet (Last year), Not attached. 3- Minimum 03 Years' Experience in relevant field/category with documentary evidence (PO/WO/DC copies) not attached. 4- Authority Letter in favor of person(s) authorized to sign bid & attend meetings (with cell numbers), not attached. 5- Scanned Copy of 2% CDR / Bank Guarantee / Pay Order / Demand Draft attached with Technical Bid, not attached. 6- Satisfactory Past Performance Certificates from Top Competent Authority for Quoted Products, not attached. 7- Income Tax Returns of last three year, not attached. 8- Average Annual Turnover of last 03 year above Rs. 10 million with audit statement, not attached. 9- Bid Security Form (as per Form 8.11) duly signed and stamped, not attached. 10- Performance Guarantee Form (as per Form 8.7) duly signed and stamped, not attached. 11- Work/Supply/Purchase Orders of previous experience • Company Profile and Staff List • Income Tax Returns / Audited Statements not attached. 12- Compliance sheet, not attached.</p> <p>Moreover Samples of the quoted items of Polythin Bag 24*26 White & Polythin Bag 30*36 (White) not approved by the sample evaluation committee as during visual and manual testing the following issues were noted:-</p> <ul style="list-style-type: none"> - The bag material exhibits poor elasticity, resulting in reduced flexibility. - The bags are easy to rupture or tear under moderate stretching. 	Non Responsive
		M/S Medicare	As per Bidding Documents & Fulfill Evaluation criteria. Samples of all quoted items approved.	Responsive

(Handwritten signature)

Sr #	Name of Item	Name of Firm	Remarks	Decision
		M/S Amjad Ali	The Said firm did not fulfill the Technical Evaluation Criteria:- 1- Delivery Period not mentioned on main technical offer. 2- Compliance Sheet not attached with technical offer. Moreover the Sample Evaluation Committee Approved the Samples of Yellow Dust Bin, White Dust Bin, Red Dust Bin. Samples of Polythin Bag 24*26 White & Polythin Bag 30*36 (White) not approve as during visual and manual testing the following issues were noted:- - The bag material exhibits poor elasticity, resulting in reduced flexibility. - The bags are easy to rupture or tear under moderate stretching.	Non Responsive
		M/S Ayaan Plastic	As per Bidding Documents & Fulfill Evaluation criteria. Samples of all quoted items approved.	Responsive
		M/S Ever Clean	As per Bidding Documents & Fulfill Evaluation criteria. Samples of all quoted items approved.	Responsive
3	Frame work contract for Purchase of General Store Item.	M/S Bestech	As per Bidding Documents & Fulfill Evaluation criteria. (Detail of samples Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached)	Responsive
		M/S Victoria Traders	The Said firm did not fulfill the Technical Evaluation Criteria:- 1- Company Profile, Not Attached. 2- Bank Statement/ Balance Sheet (Last year), Not attached. 3- Minimum 03 Years' Experience in relevant field/category with documentary evidence (PO/WO/DC copies) not attached. 4- Authority Letter in favor of person(s) authorized to sign bid & attend meetings (with cell numbers), not attached. 5- Scanned Copy of 2% CDR / Bank Guarantee / Pay Order / Demand Draft attached with Technical Bid, not attached. 6- Satisfactory Past Performance Certificates from Top Competent Authority for Quoted Products, not attached. 7- Income Tax Returns of last three year, not attached. 8- Average Annual Turnover of last 03 year above Rs. 10 million with audit statement, not attached. 9- Bid Security Form (as per Form 8.11) duly signed and stamped, not attached. 10- Performance Guarantee Form (as per Form 8.7) duly signed and stamped, not attached. 11- Work/Supply/Purchase Orders of previous experience • Company Profile and Staff List • Income Tax Returns / Audited Statements not attached. 12- Compliance sheet, not attached. Moreover Detail of sample Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached.	Non Responsive
		M/S Orient Medical	As per Bidding Documents & Fulfill Evaluation criteria. (Detail of samples Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached)	Responsive
		M/S Ever Clean	As per Bidding Documents & Fulfill Evaluation criteria. (Detail of samples Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached)	Responsive
		M/S M. Amir & Co	As per Bidding Documents & Fulfill Evaluation criteria. (Detail of samples Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached)	Responsive

Sr #	Name of Item	Name of Firm	Remarks	Decision
		M/S Imran & Co	The Said firm did not fulfill the Technical Evaluation Criteria:- 1- Authority Letter in favor of person(s) authorized to sign bid & attend meetings (with cell numbers), not attached. 2- Past Performance not satisfactory, copy of letters attached. 3- Compliance sheet, not attached. Moreover Detail of sample Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached.	Non Responsive
		M/S Fellows Enterprises	As per Bidding Documents & Fulfill Evaluation criteria. (Detail of samples Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached)	Responsive
		M/S Fine Solution	As per Bidding Documents & Fulfill Evaluation criteria. (Detail of samples Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached)	Responsive
		M/S Amjad Ali	The Said firm did not fulfill the Technical Evaluation Criteria:- 1- Delivery Period not mentioned on main technical offer. 2-Compliance Sheet not attached with technical offer. Moreover Detail of sample Approved/ not Approved by the sample evaluation committee mention on Technical comparative statement attached.	Non Responsive

Prof. Dr. Muhammad Shahid, Prof of Peads



Prof. Dr. Akif Dilshad, Prof of Gastroenterology



Prof. Dr. Ahmad Khaqan, Prof of Ophthalmology



Prof. Dr. Nighat Haroon, Prof of Radiology



Dr. M. Shabbir Ahmad, Associate Prof Surgery



Dr. Yahya Sultan, AMS (Stores)



Dr. Zeeshan Hadday, AMS (Purchase)



Engr. Usama Zulifqar, Bio Medical Engineer/Technical Officer



**TECHNICAL COMPARATIVE STATEMENT
FRAME WORK CONTRACT FOR PURCHASE OF GENERAL STORE ITEMS
LAHORE GENERAL HOSPITAL, LAHORE. Tender Opened on 27-10-2025**

Sr.	Name of Items	M/S Amir & Co	M/S Bestech	M/S Fellows	M/S Fine Solution	M/S Imran & Co	M/S Orient Medical	M/S Victoria Traders	M/S Ever Clean	M/S Amjad Ali
1	Air Freshner 300ml, as per sample	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	Rej.
2	Acrylic plate 24"x30" as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	✓
3	Bath Cleaner 600ml, as per sample	✓	NQ	NQ	NQ	Rej.	NQ	NQ	✓	Rej.
4	Bath Soap 70 to 80gm, as per sample	✓	NQ	NQ	Rej.	NQ	NQ	NQ	NQ	✓
5	Broom, as per sample	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	✓
6	Battery Cell Small size, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	✓
7	Battery Cell Small AAA size, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	✓
8	Battery Cell, Medium, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	✓
9	Bath Brush		NQ	NQ	✓	NQ	NQ	NQ	NQ	Rej.

Handwritten signatures and initials in blue and red ink are present below the table, likely representing the representatives of the various M/S companies listed in the table.

Sr.	Name of Items	M/S Amir & Co	M/S Bestech	M/S Fellows	M/S Fine Solution	M/S Imran & Co	M/S Orient Medical	M/S Victoria Traders	M/S Ever Clean	M/S Amjad Ali
10	Complete Wheel with fork for Bed 5",with chimta , plate , Gulli as per sample	Rej	NQ	NQ	Rej	NQ	✓	NQ	NQ	NQ
11	Complete Wheel with fork for Streature Trolley 6" with Chimta ,Gulli , plate as per sample	✓	NQ	NQ	Rej	NQ	✓	NQ	NQ	NQ
12	Complete Wheel with fork for Streature Trolley 8" with Chimta ,Gulli , plate as per sample	Rej	NQ	NQ	Rej	NQ	✓	NQ	NQ	NQ
13	Cholorin 0.5%, as per sample	✓	NQ	NQ	NQ	Rej	NQ	NQ	Rej	✓
14	Dry Mop Empty, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Rej
15	Dry Mop Complete, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Rej
16	Dust Bin small	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	✓
17	Detergent Powder 1 kg	✓	NQ	NQ	Rej	Rej	NQ	NQ	NQ	✓
18	Dish Washing powder 900gm ,as per sample	✓	NQ	NQ	✓	Rej	NQ	NQ	NQ	Rej
19	Ewer (Lota)	Rej	NQ	NQ	Rej	NQ	NQ	NQ	NQ	✓

Sr.	Name of Items	M/S Amir & Co	M/S Bestech	M/S Fellows	M/S Fine Solution	M/S Imran & Co	M/S Orient Medical	M/S Victoria Traders	M/S Ever Clean	M/S Amjad Ali
20	Flit Oil 03 Liter Pack, as per sample	Rej ✓	NQ	NQ	✓	Rej	NQ	NQ	Rej	✓
21	Fire Extinguisher Cylinder Co2	✓	Rej NO sample	NQ	Rej NO sample	NQ	NQ	NQ	NQ	NQ
22	Fire Extinguisher Cylinder DCP Powder	✓	SMP	NQ	SMP	NQ	NQ	NQ	NQ	NQ
23	Fire Extinguisher Cylinder h2O water	✓	SMP	NQ	SMP	NQ	NQ	NQ	NQ	NQ
24	Glass Glint	✓	NQ	NQ	Rej	Rej	NQ	NQ	✓	Rej ✓
25	Hand Sanitizer Gel upto 70% Alcohol, as per sample	Rej	NQ	NQ	Rej	Rej	NQ	NQ	✓	✓
26	Insect Killer Spray bottle, as per sample	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	✓
27	Industrial floor matt, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
28	Inauguration Plate 36"x18"	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	✓
29	Lock 38mm, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Rej

Sr.	Name of Items	M/S Amir & Co	M/S Bestech	M/S Fellows	M/S Fine Solution	M/S Imran & Co	M/S Orient Medical	M/S Victoria Traders	M/S Ever Clean	M/S Amjad Ali
30	Lock 50mm, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Rej
31	Liquid Soap, as per sample	✓	NQ	NQ	NQ	✓	NQ	NQ	Rej	✓
32	Mackin Tosh, as per sample	✓	NQ	NQ	NQ	NQ	✓	NQ	NQ	✓
33	Mop Trolley with 2 Bucket, a sper sample	✓	NQ	NQ	Rej	NQ	NQ	NQ	NQ	✓
34	Mattress Cover, as per sample	✓	✓	NQ	NQ	NQ	NQ	NQ	NQ	✓
35	Phenyle 03 Liter Bottle, as per sample	✓	NQ	NQ	✓	Rej	NQ	Rej	✓	Rej
36	Plastic Bucket 15 to17 Liter,as per sample	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	Rej
37	Plastic Pipe 3/4,1-1/4,1" a sper sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
38	Rexin Cloth, as per sample	✓	scribble	NQ	✓	NQ	✓	NQ	NQ	Rej
39	Rubber Slipper 8,9,10,11 as per sample	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	Rej

Sr.	Name of Items	M/S Amir & Co	M/S Bestech	M/S Fellows	M/S Fine Solution	M/S Imran & Co	M/S Orient Medical	M/S Victoria Traders	M/S Ever Clean	M/S Amjad Ali
40	Refilling of fire Extinguisher Cylinder Co2 (kg)	✓	✓	NQ	✓	NQ	✓	NQ	NQ	NQ
41	Refilling of fire Extinguisher Cylinder water (Litres)	✓	✓	NQ	✓	NQ	✓	NQ	NQ	NQ
42	Refilling of fire Extinguisher Cylinder Dcp powder (Kg)	✓	✓	NQ	✓	NQ	✓	NQ	NQ	NQ
43	Soap Dispenser 500ml, as per sample	Rej	NQ	Rej	✓	Rej	✓	NQ	NQ	Rej
44	Split kit	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	SNP
45	Sanitizer Dispenser 500ml, as per sample	✓	NQ	✓	✓	Rej	✓	NQ	NQ	Rej
46	Torch Rechargeable	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
47	Tissue Paper Box, as per sample	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	✓
48	Toilet Soap, as per sample	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	Rej
49	Wet Mop Complete, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	✓

2

4

✓

for the day

↓

all

an

72

Sr.	Name of Items	M/S Amir & Co	M/S Bestech	M/S Fellows	M/S Fine Solution	M/S Imran & Co	M/S Orient Medical	M/S Victoria Traders	M/S Ever Clean	M/S Amjad Ali
50	Wiper Rubber, Best Quality, as per sample	Rej	NQ	NQ	NQ	NQ	NQ	NQ	NQ	✓ it handle provide
51	Wheel Barrow/Garbage Trolley Blue Color, as per sample	✓	NQ	NQ	✓	NQ	NQ	NQ	NQ	Rej
52	Wet Mop Empty, as per sample	✓	NQ	NQ	NQ	NQ	NQ	NQ	NQ	✓

124

g

cy

→

Handwritten signature

h

su

Handwritten signature

Handwritten signature

**TECHNICAL COMPARATIVE STATEMENT
 FRAME WORK CONTRACT FOR PURCHASE OF MEDICAL WASTE MANAGEMENT ITEMS
 LAHORE GENERAL HOSPITAL LAHORE. Tender opening Date:- 27-10-2025**

Sr.	Name of Items	M/S M. Amir & Co	M/S Victoria Traders	M/S Medicores	M/S Amjad Ali	M/S Ayaan Plastic	M/S Ever Clean
		Sample Approved/ Not Approved	Sample Approved/ Not Approved	Sample Approved/ Not Approved	Sample Approved/ Not Approved	Sample Approved/ Not Approved	Sample Approved/ Not Approved
1	yellow Dust Bin HDPE lid type Paddle Opearte 45 liter	✓	NQ	NQ	✓	NQ	NQ
2	White Dust Bin HDPE lid type Paddle Opearte 45 liter	✓	NQ	NQ	✓	NQ	NQ
3	Red Dust Bin HDPE lid type Paddle Opearte 45 liter	✓	NQ	NQ	✓	NQ	NQ
4	Polythin Bag 24x26 (White), (HDPE 40 Microns on single layer) As per sample	✓	Ref	✓	Ref	✓	✓
5	Polythin Bag 30x36 (White), (HDPE 40 Microns on single layer) As per sample	✓	Ref	✓	Ref	✓	✓