The Secretary.

Health Department,

Govt, of the Punjab, Lahore

Attention:

Mr. Abdul Wahab

Incharge ICT Cell, Health Department.

Govt. of the Punjab, Lahore.

Subject:

Minutes of Technical Evaluation Committee meeting.

With reference to the subject cited above.

It is therefore kindly requested to upload the minutes of Technical Evaluation Committee meeting held on 28-7-2022 on official Website regarding Purchase General Store Items, Medical Waste Items, Linen Items, Surgeon Gauze, Uniform & Liveries, Stationery Items, Printing Items, IT Items, X-Ray Films and Hiring of firm for Insecticide Spray for this hospital. (Copy attached).

> Medical Superintendent Lahore General Hospital,

Lahore

No.

/LGH

A copy is forwarded for information to the:-

- 1. Principal PGMI/LGH, Lahore.
- 2. AMS (Purchase) LGH Lahore.
- 3. DMS (Purchase), LGil Lahore.

dated

2022

Medical Superintendent Lahore General Hospital, Lahore

6 Measure see heparrel, docx

Minutes of Technical Evaluation Committee Meeting Held 28-7-2022

- 1. The Technical Evaluation Committee meeting was held on 28-7-2022 under the chairmanship of Prof. Dr. Tahir Siddique, Prof of Medicine Lahore General Hospital, Lahore, regarding technical evaluation of the offers and sample approval for the Purchase of Different Store items and Hiring of Services for this hospital.
- 2. Following committee members attended the meeting:
 - Prof. Dr. Jodat Saleem, Prof of Anesthesia
 - Prof. Dr. Saima Ameer, prof of Radiology
 - Prof Muneeza Natiq, Prof of Pathology
 - Dr. Syed Yasoob, Ali Naqvi, prof of Anatomy
 - Dr. Irfan Malik, Associate Prof of Pulmonology
 - Dr. Nadia Rasool, Principal Dental Surgeon
 - Dr. Sharjeel Ilyas, AP Oral Biology
 - DR. Ahmed Naeem, AP Surgery
 - Dr. Uzma Akbar, Mirza, AMS (Store)
 - Dr. Khurrum Butt, AMS (Stores)
 - Dr. Zeeshan Hadder, AMS (Purchase)
 - Dr. M. Shahid, DMS (Admn/Janitorial)
 - Dr. Saira Akhlaq, DMS (Purchase)
 - Dr. Omer Pasha, DMS (Purchase)
 - Mr. Ramzana Bibi, Nursing Superintendent
 - Eng. Ali Natiq Zaidi, Bio Medical Engineer
 - Mr. M.Akbar, Office Superintendent
 - Mr. Rashid Mansoor, Computer Programmer
- 3. The technical sheets were prepared by the end-user & Technical Officer, Health Department, Lahore and was placed before the committee.
- 4. The committee decided that the clauses of tender enquiry & PPRA rules 2014, will be followed strictly.
- 5. The following items were discussed:-

| Sr# | Name of Item | Name of Firm | Remarks | Decision |
|-----|---------------------|--------------|---|-------------------|
| 1 7 | X-Ray Films for CT, | i dilistan | Technical Evaluation Criteria Not Fullfill:- Satisfactory Past Performance in the shape of Authentic certificate from Top competent authority from the Public Sector Institutions of the Quoted Product, not attached with technical bid. | Non Responsive |
| | | 11/3 Medical | As per Bidding Documents and tender specification. | Responsive |

| Sr# | Name of Item | Name of Firm | Remarks | | | |
|-----|--|-------------------------|---|----------------------------|---|-------------------|
| 2 | Hiring of firm for Insecticide Spray | M/S Safe Home | As per Bidding Documents and tender requirment. | Decision Responsive | | |
| 3 | M/S Faisal Surgeon Gauze B.P.C As per Bidding Documents and tender requirment. Sample Approved. | | As per Bidding Documents and tender requirment. Sample Approved. | Responsive | | |
| | | M/S Hafiz Pharma | As per Bidding Documents and tender requirment. Sample Approved. | Responsive | | |
| | | M/S Capital Premium | The said firm submitted the poor quality sample for evaluation, hence sample of quoted items not approved. | Non Responsive | | |
| | | M/S Umair Traders | As per Bidding Documents and tender requirment. Sample of all quoted items Approved. | Responsive | | |
| 4 | Uniform & Liveries | Uniform 9. Liveries | Haifarra O. Line | M/S Samnan Traders | Technical Evaluation Criteria Not Fullfill:- The said firm offered the bid validity 180 days instead of 190 days. | Non Responsive |
| ' | | M/S Shahbaz Traders | As per Bidding Documents and tender requirment. Sample of all quoted items Approved. | Responsive | | |
| | | M/S Ashfaq Traders | Following Samples Approved:- Uniform Cloth for class IV Staff, Uniform for Drivers, Black Wasket and Jinnah Cap. Following Samples not Approved:- Uniform for Security Guards. | Responsive | | |
| | | M/S Mian Enterprises | Sample of Quoted Item Blue Color Zeen Fabric Approved. | Responsive | | |
| | Linen Store Items | M/S Shahbaz Traders | Following Samples Approved:- Bed Sheet Size 63"x108", Bed Sheet White Plain, Blanket Red, Lath White, Wash & Wear, Blue Dasuti, Green Dasuti, Parad Cloth Jursy. Following Samples not Approved:- Shirting Cloth blue lining, Blue Colour Zeen. | Responsive | | |
| 5 | | M/S Liaqat Ali | Following Samples Approved:- Bed Sheet White Plain, Pillow Polyester, Top Tax Cloth, Shirting Cloth Blue lining, Blue Dasuti fast colour, Green Dasuti Fast Colour, Doctor Towel. Following Samples not Approved:- Lath White 100% Cotton. Parda Cloth Jursy. Following Sample not provided by the firm for Evaluation:- Bed Sheet size 63"x108" weight 1000gm. | Responsive | | |

0 33 / St.

W

X

Ugnet J

Jan Jan

DIH

| Sr# | Name of Item | Name of Firm | Remarks | | |
|-----|---------------|--------------------------|---|----------------------------|--|
| | | M/S Bestech | Following Samples Approved:- Bed Sheet Size 63"x108", Top Tax Cloth. Following Samples not Approved:- Bed Sheet White Plain, Blanket Red Size 63"x90", Latha White 100% Cotton, Shirting Cloth, Wash & Wear cloth, Blue Dasuti fast colour, Green Dasuti fast Colour, Parda Cloth Jursy, Blue Color Zeen Fabric Following Sample not provided by the firm for Evaluation:- Pillow Polvester, Doctor Towel. | Decision Responsive | |
| | | M/S Amir & Co | Following Samples Approved:- Lath White 100% cotton, Wash & wear cloth, Parda Cloth Jursy. Following Samples not Approved:- Bed Sheet White Plain, Blanket Red Size 63"x90", Latha Wahite 100% Cotton, Shirting Cloth, Wash & Wear cloth, Pillow Polyester, Green Dasuti fast Colour, Parda Cloth Jursy, Doctor Towel Following Sample not provided by the firm for Evaluation:- Top Tax Cloth, Blue Dasuti Fast Color, Blue Color Zeen Fabric. | Responsive | |
| 5 | Cinen ilems E | M/S Ramay Enterprises | The said did not provide the samples for sample evaluation, hence technically not accepted. | Non | |
| | | M/S Ashfaq Traders | Following Samples Approved:- Bed Sheet size 63"x108", Bed Sheet white Plain, Blanket Red, PIllow Polyester, Top Tax Cloth, Shirting Cloth Blue lining, Wash & Wear cloth, Doctor Towel. Following Samples not Approved:- Lath white, Green Dasuti, Parda Cloth, Blue Color Zeen. Following Sample not provided by the firm for Evaluation:- Blue Dasuti Fast Colour. | Responsive | |
| | | M/S Mian & Co | The said firm submitted the poor quality sample for evaluation, hence sample of quoted items not approved. | Non Responsive | |
| | | M/S Capital Premium | Following Samples Approved:- Bed Sheet White Plain, Pillow Polyester, Latha White, Parda Cloth Jursy, Doctor Towel. Following Samples not Approved:- Blanket Red, Shirting Cloth blue lining, Wash & Wear. Following Sample not provided by the firm for Evaluation:- Top Tax Cloth. | Responsive | |

Joseph A D X L & Myle

| | Sr# | Name of Item Name of Firm | | | | |
|---|-----|---------------------------|----------------------------|---|-------------------|--|
| - | | realite of Item | Name of Firm | Remarks | Decision | |
| | | | M/S Bestech | Technical Evaluation Criteria Not Fullfill: Authority Letter infavor of person or persons with their cell numbers, who will sign the bid and attend the relevant meetings, not attached Authorization for imported items, not attached Satisfactory Past Performance in the shape of Authentic certificate from Top competent authority from the Public Sector Institutions of the Quoted Product, not attached Income tax return of last three years not attached. | Non Responsive | |
| | 6 | Dental Material | M/S E-Dental | Technical Evaluation Criteria Not Fullfill:- An affidavit on legal stamp paper of Rs. 100/- that their firm is not blacklisted currently on any ground by any Government (Federal, Provincial), not attached. Acceptance of terms and conditions, tender documents duly signed and stamped, not attached. Company profile, not attached. Bank statement/ Balance sheet last 03 year, not attached. Income Tax, Active General Sales Tax and valid Professional Tax certificate, not attached. Authority Letter infavor of person or persons with their cell numbers, who will sign the bid and attend the relevant meetings, not attached. The Bidder will attach 2% CDR/ Bank Guarantee/Pay Order/Demand Draft with the financial bid and also attach the photocopy with the technical bid, not attached. Authorization for imported items, not attached. Delivery Period Should be mentioned on main technical offer, not mentioned. Bid Validity Should be mentioned on main technical offer, not mentioned. Satisfactory Past Performance in the shape of Authentic certificate from Top competent authority from the Public Sector Institutions of the Quoted Product, not attached. Income tax return of last three years not attached. Technical not in proper ook binding or page numbering. | Non Responsive | |
| | | | M/S Shine Enterprises | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Attached) | Responsive | |
| | 7 | Stationery Items | M/S Techno Star | Technical Evaluation Criteria Not Fullfill: Satisfactory Past Performance in the shape of Authentic certificate from Top competent authority from the Public Sector Institutions of the Quoted Product, not attached. | Non Responsive | |
| | | | M/S M. Amir & Co | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Attached) | Responsive | |
| 7 | | | M/S Fellows Enterprises | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Attached) | Responsive | |

100 m

1 In

SH

O XY

12

Jon har

死

DIA

Scanned with CamScanner

| | - | | | | | |
|----|----------------------|----------------------------|--|----------------------|--------------------------------|---|
| # | Name of Item | Name of Firm | Remarks | Decision | | |
| | | M/S Shine Enterprises | As per Bidding Documents and Tender specification, Sample of all quoted items approved. | Responsive | | |
| | | M/S Wahdat | As per Bidding Documents and Tender specification, Sample of all quoted items approved. | Responsive | | |
| 8 | Printing Store Items | M/S Shoukat | As per Bidding Documents and Tender specification, Sample of all quoted items approved. | Responsive | | |
| | | | Technical Evaluation Criteria Not Fullfill: Satisfactory Past Performance in the shape of Authentic certificate from Top competent authority from the Public Sector Institutions of the Quoted Product, not attached The said firm did not attached the technical offer with their bid Affidavit on legal stamp paper of Rs.100/- submitted by M/S Rehman Security instead of M/S Fahad Group. | Non Responsive | | |
| | IT Items | M/S Techno Star | Technical Evaluation Criteria Not Fullfill: Satisfactory Past Performance in the shape of Authentic certificate from Top competent authority from the Public Sector Institutions of the Quoted Product, not attached. | Non Responsive | | |
| 9 | | M/S Fellows Enterprises | Following Samples Approved:- Optical Mouse, Key Board, Thermal Paper, HP Toner 80A, HP Tone 26A. Following Samples not Approved:- USB 64GB Following Sample not provided by the firm for Evaluation:- HP Toner 59A | Responsive | | |
| | | | 1 1 | M/S Xpert Network | M/S Xpert Option Network Folio | Following Samples Approved:- Optical Mouse, Key Board, Thermal Paper, HP Toner 80A, HP Tone 26A. Following Sample not provided by the firm for Evaluation:- Toner for Photocope Machine Toshiba T-2309P |
| 10 | Medical Waste | M/S Zulifqar Ali & Co | Following Samples Approved:- Yellow Dust Bin With Lid & Padle and White Dust Bin with Lid & Paddle. Following Samples not Approved:- Polythin Bags 24x26 (White), Polythin Bag 30x36 (White), Polythin Bag 30x36 (Yellow). | Responsive | | |
| 10 | Management Items | M/S M. Amir & Co | Samples of All Quoted Items Approved. | Responsive | | |
| | | M/S Clifton Enterprises | Samples of All Quoted Items Approved. | Responsiv | | |

1

25% May

SH C

Z >

X

D They

With 5

DIA

| / | C- 4 | | | |
|---|------|--------------|----------------------------|--|
| | Sr # | Name of Item | Name of Firm | Remarks |
| _ | | | M/S Perfect Enterprises | The Said firm did not provide sample for Evaluation, hence technically not accepted. |
| | | | | Technical Evaluation Criteria Not Fullfill:- The said firm attached the affidavit or lead to the said firm attached the affidavit or lead to the said firm attached the affidavit or lead to the said firm attached the affidavit or lead to the said firm attached the affidavit or lead to the said firm attached to the said firm atta |

| г# | Name of Item | Name of Firm | Remarks | Decision |
|----|-----------------------------------|----------------------------|---|-------------------|
| | | M/S Perfect Enterprises | The Said firm did not provide sample for Evaluation, hence technically not accepted. | Non Responsive |
| 11 | Medical Waste Management Items | M/S Fahad Group | Technical Evaluation Criteria Not Fullfill:- The said firm attached the affidavit on legal stamp paper of Rs.50/- instead of Rs.100/ Professional Tax Certificate not attached. The said firm attached the Defaced copy of 2% CDR/Bank Gurantee/Pay Order/Demand Draft instead of photocopy of 02% CDR/Bank Gurantee/Oay Order. Satisfactory Past Performance in the shape of Authentic certificate from Top competent authority from the Public Sector Institutions of the Ouoted Product, not attached. | Non Responsive |
| | - | M/S Nine Star | Technical Evaluation Criteria Not Fullfill:- The said firm offered the bid validity 90 days instead of 190 days. | Non Responsive |
| | | M/S Imran & Co. | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Attached) | Responsive |
| | | M/S Nine Star | Technical Evaluation Criteria Not Fullfill:- The said firm offered the bid validity 90 days instead of 190 days. | Non Responsive |
| | | M/S Prime Enterprises | The said firm submitted the poor quality sample for evaluation, hence sample of quoted items not approved. | Non Responsive |
| | | M/S Bestech | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| 12 | General Store Items | M/S Zulifqar Ali & Co | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| 12 | General Store Items | M/S Siddiquie & Brothers | The said firm submitted the poor quality sample for evaluation, hence sample of quoted items not approved. | Non Responsive |
| | | M/S Kamran Enterprises | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| | | M/S Fellows Enterprises | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| | | M/S Perfect Enterprises | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| | | M/S Fab Healthcare | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |

| | 1 |
|---|---|
| | - |
| | |
| 1 | |
| / | |


| Sr# | Name of Item | Name of Firm | of Firm Remarks | |
|-----|---------------------|----------------------------|--|------------|
| | 1 | M/S Clifton Enterprises | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| | | M/S Ever Clean | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| 12 | General Store Items | M/S Gulab Din & Sons | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| | | M/S The Resources | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |
| | | M/S Amir & Co | Complete detail of Samples Approved/Not Approved/Not provided Samples, mentioned on technical comparative statement. (Copy Attached) | Responsive |

IT is certified that the working paper for Technical Evaluation is prepared by the DMS (Purchase) Dr.Saira Akhlaq and Technical Officer BME Engr. Ali, Natiq Zaidi, on the basis of hospital Bidding documents & documents Provided by bidder. We Will responsible if any discrepency at any stage later.

Note:- Samples done by the relevant End users and Technical Committee.

Dr. Saira Akhlaq DMS (Purchase)

Mr. Ali Natiq Zaidi, Biomedical Engineer



2- Prof. Dr. Jodat Saleem, Prof of Anesthesia

3- Prof. Dr. Saima Ameer, prof of Radiology

4- Prof Muneeza Natiq, Prof of Pathology

Spr. Syed Yasoob, Ali Naqvi, prof of Anatomy

6- Dr. Irfan Malik, Associate Prof of Pulmonology





| Sr# | Name of Item | Name of Firm | Remarks |
|------------|------------------------|-----------------------|---------|
| 7- | Dr. Nadia Rasool, Prin | ncipal Dental Surge | eon |
| 8 - | Dr. Sharjeel Ilyas, Af | P Oral Biology | /3 |
| q | DR. Ahmed Naeem, | AP Surgery | |
| 1 | b- Dr. Uzma Akbar, M | irza, AMS (Store) | ugner - |
| | // - Dr. Khurrum Butt, | AMS (Stores) | Lev |
| | /2- Dr. Zeeshan Hadd | der, AMS (Purchase) | 7th |
| | 18- Dr. M. Shahid, DI | MS (Admn/Janitorial |) &) / |
| | 14-Dr. Saira Akhlaq | , DMS (Purchase) | Jan J |
| | /S- Dr. Omer Pasha | | Q- Q |
| | | ibi, Nursing Superin | |
| | 17~Eng. Ali Natiq 2 | Zaidi, Bio Medical Er | ngineer |

\\$-Mr. M.Akbar, Office Superintendent

19-Mr. Rashid Mansoor, Computer Programmer

Decision

TECHNICAL COMPARATIVE STATEMENT FOR THE PURCHASE OF MEDICAL WASTE MANAGMENT ITEMS FOR THE FINANCIAL

| LAHODE | GENERAL HOSPITAL, LAHORE. | |
|--------|----------------------------|--|
| LATURE | GENERAL HOSDITAL LAHODE | |
| | CENTERAL HOSPITAL, LAHORL, | |

| 1 | | LAHORE GENERAL HOSPITAL, LAHORE. | | | | | | | |
|-------|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--|--|--|--|
| Sr. # | Name of Items | M/S Zulifqar Ali | M/S M.Amir & Co | M/S Clifton | M/S Perfect Enter | M/S Fahad Solution | M/S Nine Star | | |
| - | | Sample Approved/ Not Approved | Sample Approved/ Not Approved | | |
| 1 | Polythin Bags 24x26 (White), As per sample | NA | ~ | ~ | SNP | | | | |
| 2 | Polythin Bag 30x36 (White), As per sample | NA | ~ | | SNP | ria Not Fulifill | ria Not Fulfill | | |
| 3 | Polythin Bag 30x36 (Yellow), As per sample | NA | / | ~ | SNP | Technical Evaluation Criteria Not Fullfill | Technical Evaluation Criteria Not Fulifill | | |
| 4 | Yellow Dust Bin with Lid & Paddle | ~ | ~ | NQ | NQ | Technical Ev | Technical Ev | | |
| 5 | White Dust Bin with Lid & Paddle | ~ | - | NQ | NQ | | 14 | | |

FECHNICAL COMPARATIVE STATEMENT FOR THE FRAME WORK CONTRACT FOR PURCHASE OF GENERAL STORE ITEMS FOR THE FINANCIAL YEAR 2022-2023

| | of Items | & Co | Star | M/S Prime | M/S Bestech | LAH M/S Zulifqar | M/S Siddiqui & | M/S Kamran | M/S | M/S perfect | M/S FAB | | M/S Ever | M/S Gulab | M/S The | M/S M. |
|----|---|--------|--|-----------|----------------|------------------------|-------------------|---------------|------------------|-------------|---------|-------------|----------|-----------|-----------|------------|
| 1 | Air Freshner 300ml, Best Quality as per sample | _ | | NQ | | Lumqar | Bro | Enter | Fellows Enter | Enter | Health | M/S Clifton | Clean | Din | Resources | Amir & co |
| | Toilet Soap Lux/ | | | | | | SNA | | SNA | NQ | NQ | ! | NQ | NQ | NQ | \ <u>\</u> |
| | Capri/Dettol or Equivlent | NQ | | NQ | NQ | \bigvee | NQ | NQ | AUS | NQ | NQ | NQ | NQ | NQ | NQ | 1 |
| 3 | Tissue Paper Box 100*200 Ply, Tulip/Rose Petal or Equiveint, as per sample | NQ | | NQ | NQ | V | SNA | NQ | NQ | NQ | NQ | SNA | NQ | NQ | NQ | 1 |
| 4 | Bath Soap 70 to 80gm Life Buoy/Safe Guard /Sufi or Equivlent | AN | | NQ | NQ | V | NQ | NQ | V | NQ | NQ | NQ | NQ | NQ | NQ | |
| 5 | Detergent Powder 1000gm, Bonus/Express/Bright or Equivlent | NQ | | SNA | NQ | V | SNA | NQ | ~ | NQ | NQ | NQ | NQ | NQ | NQ | 1 |
| 6 | Flit Oil 03 liter Pack Super/Tyfon/Ultra Clean/Wox or Equivlent | SMA | Technical Evaluation Criteria Not Fulifili | NQ | NQ | V | SNA | NQ | NQ | NQ | SNP | NQ | ~ | - NQ | NQ | SN |
| 7 | Bath Cleaner 600ml Super/Tyfon/Wox/Ultra Clean or Equivlent | SNA | Evaluation Cr | SNA | SNA | V | SNA | NQ | NQ | NQ | NQ | NQ | ~ | SNF | A NO | ~ |
| 8 | Wiper Rubber,Best Quality as per sample | SNF | Technical | NQ | NQ | SNA | NQ | V | NQ | NQ | NQ | NQ | NQ | NQ | NQ | SN |
| 9 | Dry Mop Complete, as per sample | V | | NQ | NQ | SNA | NQ | SNA | SU | J NQ | NQ | NQ | NQ | NQ | NQ | V |
| 10 | Mackin Tosh, as per sample | W | | NQ | NQ | V | NQ | NQ | NQ | NQ | ~ | NQ | NQ | 1 | NQ | V |
| 1: | Rubber Slipper, 8,9,10,11 Bata/ Service/Shoe Box or equivlent, as per sample | 1e SNP | | NQ | NQ | V | NQ | NQ | NQ | NQ | NQ | NQ | NQ | NQ | NQ | V |
| 13 | Broom, as per sample | NQ | | NQ | NQ | V | NQ | NQ | NQ | NQ | NQ | NQ | NQ | NQ | NQ | V |
| 13 | Wheel barrow/Garbage Trolley, Blue Color, as per sample | . NQ | | NQ | NQ | SM | NQ | NQ | NQ A COLO | NQ | SN |) NQ | NQ | NQ | NQ | V |
| | | 1 | Ú - | Sh | [1 | | - | | 0 | / | 1-1 | 1 | | المنها ا | 7/20 | - Yr |

Scanned with CamScanner

| ock 50mm, as per ample | \ | | | Bestech | Zulifqar | Siddiqui & | Kamran Enter | M/S Fellows Enter | M/S perfect Enter | M/S FAB Health | M/S Clifton | M/S Ever | M/S Gulab | M/SThe | M/S M. |
|---|------------------------|------------|---|---------|----------|------------|-----------------|-------------------------|----------------------|-------------------|-------------|----------|-----------|-----------|-----------|
| ock 38mm, as per | | | NQ | NQ | SNIP | NQ | NQ | SNA | NQ | NQ | NQ | Clean | Din NQ | Resources | Amir & co |
| Insect Killer Spray 300 | ml | 4 | NQ | NQ | V | NQ | NQ | V | NQ | NQ | NQ | NQ | | | SNA |
| Kingtox/ Cobra/Mortein/Super of equivlent, as per sam | or ole NQ | | SNF | SNI | | | NQ | V | | | | le5 | NQ | NQ | 1 |
| Plastic Pipe 3/4,1-1/4 asper sample | SN | Aı | NQ | NQ | + | SN | 7 | | NQ | NQ | SNF | y NÓ | NQ | ИÕ | 1 |
| Dry Mop Empty, as sample | ner l | | | | 1 | NQ | NQ | NQ | NQ | NQ | NQ | NQ | NQ | NQ | 1 |
| Wet Mope Empty, | SN as per | | NQ | NQ | V | NQ | Shf | IV | NQ | NQ | NQ | NQ | NQ | NQ | CNA |
| sample Wet Mop Complet | e. as | a Not Full | Technical Evaluation Chicago | NQ | SNE | J NO | SN | A Sh | JA NQ | NQ | NQ | NQ | NQ | NQ | 3/1/2 |
| per sample | - | | NO DELL'AND |) NC | SN | b no | SNI | y NC |) NQ | NQ | NQ | NQ | NQ | NQ | |
| 21 Bettery Cell, Sm | | NQ | nical Evalu | Q N | | NQ | SN | PSI | JP NQ | NQ | . NO | . NO | S NO | NQ | |
| 22 Bettery Cell, Me size | | NQ | Tech | IQ N | io Si | JP NO | | \ | NC. | S | 5 NO | Q N | Q N | | |
| Dish washing VIM/ Lemon N equivlent as p | lax/Sufi or Ser sample | AM | | NQ | NQ | 19 | A A | Q | N | | IQ N | | | | 24 |
| Phenyle 03 Li Ultra Clean/Super, x or equivler | Typhon/Wo | AVE | S | AU | NQ \ | / 2 | AL1 | NO C | NA. | | | | | AM | Q L |
| 25 Rexin Cloth, sample | as per | NQ | 3 | NQ | NQ C | | | NQ S | | | | NAS | NA SI | AU | NQ V |
| 26 Hand Drye | , | NQ | | NQ | NQ C | AU | NQ | NQ | | NQ | | NQ = | NQ | NQ | NQ SI |
| 27 Industrial | foot Matt | NQ | | NQ | NQ \ | NY | | | | NQ | NQ \ | | NQ V | | NQ SI |
| L | | | L | | , | | NQ | NQ | NQ T | NQ ALL | NQ | NQ | NQ | NQ | NQ L |

Scanned with CamScanner

| | or Items | M/S Imran & Co | M/S Nine Star | M/S Prime | M/S Bestech | M/S Zulifqar | M/S Siddiqui & Bro | M/S Kamran Enter | M/S Fellows | M/S perfect Enter | M/S FAB Health | M/S Clifton | M/S Ever Clean | M/S Gulab Din | M/S The Resources | M/S M. Amir & co |
|----|---|-------------------|--|-----------|----------------|-----------------|--------------------------|------------------------|----------------|----------------------|-------------------|-------------|-------------------|------------------|----------------------|---------------------|
| 28 | Torch Rechargeable | NQ | | NQ | NQ | SNP | NQ | SNP | NQ | NQ | NQ | NQ | NQ | NQ | NQ | |
| 29 | Mattress Cover | SNP | | NQ | | V | NQ | NQ | NQ | NQ | SNP | NQ | NQ | ~ | NQ | ~ |
| 30 | Plastic Bucket 15-17 Liter | V | | NQ | NQ | ~ | NQ | NQ | SUP | NQ | NQ | NQ | NQ | NQ | NQ | V |
| 31 | Mop Trolley with 02 Buckets | NQ | ria Not Full | NQ | NQ | V | NQ | NQ | NQ | NQ | SNP | NQ | NQ | V | NQ | V |
| 32 | Sanitizer Dispenser 500ml | SNF | Technical Evaluation Criteria Not Fullfill | SNA | SNA | SNA | NQ | SNA | NQ | V | SNA | SNF | NQ | SNA | NQ | SNA |
| 3 | 3 Soap Dispenser 500m | SNF | chnical Eva | SNA | SNA | SNA | NQ | SNA | NQ | V | SNA | SNA | NQ | SNA | NQ | SNA |
| | Sanitizer Gel upto 70° Alcohol | % | | SNA | SNA | SNA | SNA | NQ | NQ | NQ | SNA | W | SNP | V | V | SNA |
| | Liquid Soap, Super/U 35 Clean/Life Buoy or equvlent | ltra / | | SNA | V | | SNA | NQ | NQ | NQ | SVA | NQ | V | V | NQ | V |
| | 36 Chlorine 0.5% | SNA | \overline{A} | SNA | SNA | SUR | SNA | NQ | NQ | NQ | NQ | NQ | V | SM | NQ | V |

A of short Sover to A